
MEASURING AND MITIGATING RADON IN COLORADO

Table of Contents

| | | |
|------------|--|-----------|
| 1.1 | Executive Summary | 1 |
| 1.2 | Introduction | 3 |
| 1.3 | Scope | 3 |
| 1.4 | Acknowledgements | 4 |
| 1.5 | How to Use This Manual | 5 |
| 2 | Radon Fundamentals and Occurrence | 7 |
| 2.1 | Radon Science | 8 |
| 2.1.1 | Radon: What it is and what it isn't | 8 |
| 2.1.2 | Sources of Radon..... | 9 |
| 2.1.2.1 | Geological..... | 9 |
| 2.1.2.2 | Radon from Water..... | 10 |
| 2.1.2.3 | Radon from Building Materials..... | 11 |
| 2.1.2.4 | Radon Diffusion | 11 |
| 2.1.2.5 | Comparison of Radon Sources | 12 |
| 2.1.3 | Physics of Radon Decay | 12 |
| 2.1.3.1 | Radon Decay Series..... | 12 |
| 2.1.3.2 | Radon Decay Products..... | 12 |
| 2.1.4 | Health Effects of Radon..... | 14 |
| 2.1.4.1 | Mechanism of Radon Induced Lung Cancer | 15 |
| 2.1.4.2 | Radon Exposure Guidance..... | 16 |
| 2.2 | Factors Affecting Measurement and Mitigation Approaches..... | 18 |
| 2.2.1 | Variability of Radon Source..... | 18 |
| 2.2.2 | Effect of Interior Negative Pressures/Vacuums..... | 20 |
| 2.2.2.1 | Thermal Stack Effect | 20 |
| 2.2.2.2 | Mechanical Exhaust Systems | 20 |
| 2.2.3 | Effect of Interior Positive Pressures | 21 |
| 2.2.3.1 | Effect of Positive Fresh Air Make-up in Large Buildings..... | 21 |
| 2.2.3.2 | Effect of Positive Fresh Air Make-up in Residential Structures..... | 24 |
| 2.2.3.3 | Evaporative (Swamp) Coolers..... | 24 |
| 2.2.4 | Effect of Buried Ductwork..... | 25 |
| 2.2.5 | Effect of Weather Conditions..... | 25 |
| 2.2.5.1 | Cold Weather | 26 |
| 2.2.5.2 | Windy Conditions..... | 26 |
| 2.2.6 | Radon Pathways | 26 |
| 2.2.6.1 | Common Entry Pathways (not in order of magnitude of contribution)..... | 27 |
| 2.2.7 | Radon Distribution in Buildings..... | 27 |
| 2.2.7.1 | Radon Distribution in Homes - Based Upon Level of Home | 27 |
| 2.2.7.2 | Radon Variation on a Given Floor..... | 28 |
| 2.2.7.2.1 | Homes: | 28 |
| 2.2.7.2.2 | Large Buildings | 28 |
| 2.2.8 | Upper Floor Pathways-Multi-Family Dwellings/Large Buildings..... | 29 |
| 2.2.9 | How the Variability of Radon Affects Measurement Strategies..... | 30 |
| 2.2.9.1 | Short-Term Measurements..... | 30 |
| 2.2.9.2 | Long-Term Measurements..... | 30 |
| 2.2.9.3 | Comparison of Short-Term and Long-Term Measurement Results..... | 30 |

| | | |
|------------|--|-----------|
| 3 | Measuring Radon in Single Family Homes, Multi-family Dwellings and Large Buildings in Colorado | 33 |
| 3.1 | Measurement Devices and How to Use Them..... | 34 |
| 3.1.1 | Selecting Radon Measurement Devices | 34 |
| 3.1.2 | Determining Where to Test..... | 34 |
| 3.1.3 | Location Criteria within a Room | 35 |
| 3.1.4 | Short-Term Test Devices | 35 |
| 3.1.5 | Long-Term Test Devices | 36 |
| 3.1.6 | Advanced Measurements | 37 |
| 3.1.6.1 | Radon Decay Product Measurement Devices..... | 37 |
| 3.1.6.2 | Continuous Monitors | 37 |
| 3.1.6.3 | Environmental Indicating Devices..... | 38 |
| 3.1.6.4 | Diagnostic Measurements..... | 39 |
| 3.1.7 | Interpretation of Measurements..... | 39 |
| 3.2 | Testing Single Family Homes | 40 |
| 3.2.1 | Procedure for Testing Single Family Homes..... | 40 |
| 3.2.2 | Interpreting Test Results | 44 |
| 3.2.2.1 | Interpreting Consumer Results..... | 45 |
| 3.2.2.2 | Interpreting Results at the Time of Home Sale..... | 46 |
| 3.2.2.3 | Long-Term Testing..... | 47 |
| 3.3 | Testing Multi-Family Dwellings | 48 |
| 3.3.1 | Unique Aspects of Radon Entry in Large Multi-Family Dwellings..... | 49 |
| 3.3.2 | Caution on Random Testing..... | 49 |
| 3.3.3 | Closed Building Conditions-Short-term Tests..... | 50 |
| 3.3.4 | Quality Assurance and Quality Control | 50 |
| 3.3.5 | Strategies for Testing Multi-Family Dwellings | 52 |
| 3.3.5.1 | Option 1: Initial Survey: Short-Term to Long-Term | 53 |
| 3.3.5.2 | Option 2: Initial Survey: All Short-Term Tests..... | 54 |
| 3.3.5.3 | Option 3: Initial Survey: All Long-Term Tests | 54 |
| 3.3.6 | Communication Plans | 55 |
| 3.3.7 | Mitigation/Follow-up Actions..... | 56 |
| 3.3.8 | Retesting in Future..... | 56 |
| 3.3.9 | Retesting After Mitigation | 57 |
| 3.4 | Testing Schools and Commercial Buildings..... | 58 |
| 3.4.1 | To What Types of Buildings Does this Section Apply?..... | 58 |
| 3.4.2 | Strategy for Testing Schools and Commercial Buildings..... | 58 |
| 3.4.3 | When to Test | 59 |
| 3.4.4 | What Rooms to Test | 60 |
| 3.4.5 | Test Devices | 61 |
| 3.4.6 | Quality Assurance and Quality Control | 62 |
| 3.4.7 | Communication Plans..... | 62 |
| 3.4.8 | Follow-up Actions..... | 63 |
| 3.4.8.1 | Use of Continuous Monitors as Follow-Up Measurement..... | 63 |
| 3.4.9 | Retesting in Future..... | 66 |
| 3.5 | Testing Child Care Facilities | 67 |
| 4 | Technical Guidance Document: Installing Radon Mitigation Systems in Single Family Homes, Multi-family Dwellings, and Large Buildings..... | 68 |
| 4.1 | Overview of Radon Mitigation Techniques | 69 |
| 4.1.1 | Definition and Objectives of Radon Mitigation Systems | 69 |
| 4.1.2 | Overview of Radon Mitigation Approaches..... | 69 |
| 4.1.2.1 | Reducing Radon Entry..... | 69 |
| 4.1.2.2 | Reducing Radon Risks From Within the Building | 70 |
| 4.1.3 | Prescriptive Standards vs Performance Based Approaches..... | 72 |
| 4.2 | Soil Depressurization Techniques (New and Existing Buildings) | 73 |
| 4.2.1 | Three Types of Depressurization Methods..... | 74 |

| | | |
|-------------|---|------------|
| 4.2.1.1 | Sub-Slab Depressurization | 74 |
| 4.2.1.2 | Sub-Membrane Depressurization | 75 |
| 4.2.1.3 | Drain-Tile Depressurization | 76 |
| 4.2.1.4 | Combination Systems and Collateral Area Impact | 76 |
| 4.2.2 | Sub Slab Depressurization | 77 |
| 4.2.2.1 | Existing Slabs..... | 78 |
| 4.2.2.1.1 | Single Suction Points | 78 |
| 4.2.2.1.2 | Multiple Suction Points..... | 81 |
| 4.2.2.1.3 | Side Core Suction Points..... | 82 |
| 4.2.2.1.4 | Slab Diagnostics | 82 |
| 4.2.2.1.5 | Using Drainage Systems as Radon Collector (DTD) | 84 |
| 4.2.2.2 | New Construction Slabs..... | 86 |
| 4.2.2.2.1 | Soil Gas Collectors for New Construction | 87 |
| 4.2.2.2.1.1 | Aggregate Option..... | 88 |
| 4.2.2.2.1.2 | Loop of Perforated Pipe Option | 91 |
| 4.2.2.2.1.3 | Soil Gas Mat | 92 |
| 4.2.2.2.2 | Addressing Very Large Slabs-During New Construction..... | 93 |
| 4.2.2.2.2.1 | Design Assumptions for Slabs 2,000 Square Feet or Larger..... | 94 |
| 4.2.2.2.3 | Soil Gas Retarders-Vapor Barriers-Slab Sealing | 96 |
| 4.2.3 | Treating Old or New Crawlspace with Soil Depressurization | 98 |
| 4.2.3.1 | Sub-Membrane Depressurization | 98 |
| 4.2.3.1.1 | Considerations:..... | 98 |
| 4.2.3.1.2 | Installation Procedure..... | 99 |
| 4.2.3.1.2.1 | Multiple Crawlspace | 102 |
| 4.2.3.2 | Crawlspace Depressurization | 103 |
| 4.2.4 | Depressurization Fan and Venting Systems | 105 |
| 4.2.4.1 | Radon Vent Design Parameters..... | 105 |
| 4.2.4.1.1 | Air Flow | 105 |
| 4.2.4.1.2 | Control of Condensed Soil Moisture..... | 105 |
| 4.2.4.1.2.1 | Condensation on inside of vent pipe..... | 105 |
| 4.2.4.1.2.2 | Condensation on the Outside of the Vent Pipe:..... | 105 |
| 4.2.4.1.3 | Type of Pipe | 106 |
| 4.2.4.1.4 | Fan Location and Discharge Piping | 107 |
| 4.2.4.1.5 | System Discharge Point..... | 108 |
| 4.2.4.1.5.1 | Vent Termination | 110 |
| 4.2.4.1.6 | Performance Indicators | 111 |
| 4.2.4.1.7 | Radon Vent Fans and Installation | 113 |
| 4.2.4.1.7.1 | Fan Mounting..... | 113 |
| 4.2.4.1.7.2 | Electrical for Radon Fan..... | 114 |
| 4.2.4.1.7.3 | Planning for a Future Fan ó Passive to Active ó New Construction..... | 114 |
| 4.2.4.1.7.4 | Penetrating Occupancy Separations and Plenums | 115 |
| 4.2.4.1.7.5 | Ice Protection Exterior Systems | 115 |
| 4.2.5 | Caulking and Sealing..... | 116 |
| 4.2.5.1 | Sealing Slab Openings | 116 |
| 4.2.5.2 | Drainage Systems | 117 |
| 4.2.5.3 | Sub-membrane Systems..... | 118 |
| 4.2.6 | Finishing Touches | 119 |
| 4.2.6.1 | Labeling..... | 120 |
| 4.2.6.2 | Combustion Appliance Draft Checks | 121 |
| 4.2.6.3 | Aesthetics..... | 121 |
| 4.2.7 | Installing Soil Depressurization Systems during New Building Construction | 123 |
| 4.2.7.1 | Passive to Active Approach | 123 |
| 4.2.7.2 | System Inspection..... | 125 |
| 4.3 | Alternative / Trim Techniques | 126 |
| 4.3.1 | Dilution/Air Exchange | 126 |
| 4.3.2 | Radon Decay Product Reduction (Radon Progeny)..... | 127 |
| 4.4 | Testing After Mitigation, Retesting Frequency and Monitoring Plans ... | 129 |
| 4.4.1 | Initial Testing After Mitigation | 129 |

| | | |
|----------|--|------------|
| 4.4.2 | Retesting Frequency and Monitoring Plan..... | 129 |
| 4.4.2.1 | System Performance Indicator Checks (Monthly)..... | 129 |
| 4.4.2.2 | Retesting Frequency..... | 130 |
| 4.4.2.3 | Overall Strategy for Post Mitigation Testing and Monitoring..... | 132 |
| 5 | Index | 133 |
| 6 | Glossary | 134 |

Figures

| | | |
|------------|--|----|
| Figure 1: | Roadmap for Using This Manual..... | 5 |
| Figure 2: | Radon Entry from Soil..... | 9 |
| Figure 3: | Radioactive Decay of Radon..... | 12 |
| Figure 4: | Percentage of Radon Decay Products in the Air | 14 |
| Figure 5: | EPA Map of Radon Zones | 19 |
| Figure 6: | Updated Colorado Radon Potential Maps..... | 19 |
| Figure 7: | Effect of Interior Vacuums/Negative Pressures | 21 |
| Figure 8: | Large Mechanical Systems with Fresh Air Make-up | 22 |
| Figure 9: | Effect of Fresh Air Make-up on Radon Levels-Large Buildings | 22 |
| Figure 10: | Fresh Air Make-up in Homes..... | 24 |
| Figure 11: | Evaporative/Swamp Coolers | 24 |
| Figure 12: | Effect of Buried Return Ducts..... | 25 |
| Figure 13: | Effect of Wind on Hillside | 26 |
| Figure 14: | Radon Distribution in a Home..... | 28 |
| Figure 15: | Variation of Radon on Same Floor of Large Building..... | 28 |
| Figure 16: | Radon in Upper Floor Units in Multi-Family Dwellings..... | 29 |
| Figure 17: | Comparison of Short-Term Measurements to Long-Term Averages | 31 |
| Figure 18: | Test Device Location Criteria within a Room..... | 35 |
| Figure 19: | Long-Term Test Device..... | 36 |
| Figure 20: | RDP Measurement Device..... | 37 |
| Figure 21: | Continuous Radon and Radon Decay Monitors | 38 |
| Figure 22: | Grab Sampler as Diagnostic Tool..... | 39 |
| Figure 23: | Interpreting Measurements (Consumer Testing)..... | 45 |
| Figure 24: | Simultaneous Passive Measurements | 46 |
| Figure 25: | Long-Term Test Example | 47 |
| Figure 26: | Example Variability of Radon in Multi-Family Building..... | 50 |
| Figure 27: | Multi-Family Testing Short-Term to Long-Term Testing | 53 |
| Figure 28: | Multi-Family Testing All Short-Term Tests | 54 |
| Figure 29: | Multi-Family Testing All Long-Term Tests | 54 |
| Figure 30: | Comparison of Short-Term Results ó Four Years Apart | 56 |
| Figure 31: | Testing Buildings with Centralized HVAC Systems with Energy Mgmt. Plans..... | 59 |
| Figure 32: | Examples of Common Radon Measurement Devices | 61 |
| Figure 33: | Determining Occupied vs Unoccupied Exposures | 64 |
| Figure 34: | Example of HVAC Caused Problem | 65 |
| Figure 35: | Diagrams of Three Primary Soil Depressurization Approaches..... | 74 |
| Figure 36: | Sub-slab depressurization | 74 |
| Figure 37: | Sub-membrane depressurization..... | 75 |
| Figure 38: | Drain tile depressurization | 76 |
| Figure 39: | Combination foundation systems | 76 |
| Figure 40: | Air sources to mitigation system | 77 |
| Figure 41: | Illustration of One Method for Creating Suction Pit | 80 |

| | |
|--|-----|
| Figure 42: Multiple suction points | 81 |
| Figure 43: Grade Beams under Slabs | 81 |
| Figure 44: Suction Point through Exterior Foundation Wall | 82 |
| Figure 45: Slab Diagnostics | 83 |
| Figure 46: Drainage Systems as Soil Gas Collectors | 84 |
| Figure 47: Sealing Drainage Features without Compromising Them | 85 |
| Figure 48: Crossovers for Poured walls and Grade Beams..... | 88 |
| Figure 49: Protecting Soil Gas Riser During Construction..... | 90 |
| Figure 50: Large Suction Pit Option During New Building Construction..... | 90 |
| Figure 51: Perforated Pipe Loop Option for New Construction | 91 |
| Figure 52: Soil Gas Mat..... | 92 |
| Figure 53: Soil Gas Mat Installation | 92 |
| Figure 54: Comparison of aggregate to trench methods-New Construction..... | 94 |
| Figure 55: Air Flow Full Aggregate versus Compacted Fill and Trench | 95 |
| Figure 56: Option 1: Membrane as Air Barrier..... | 97 |
| Figure 57: Option 2: Slab as Air Barrier..... | 97 |
| Figure 58: Submembrane Depressurization..... | 98 |
| Figure 59: Sub-Membrane Installation Pictures..... | 101 |
| Figure 60: Multiple Crawlspace | 102 |
| Figure 61: Crawlspace Depressurization | 103 |
| Figure 62: Crawlspace Depressurization | 104 |
| Figure 63: Adapting exterior pipe to downspout..... | 106 |
| Figure 64: Fan Leaks | 107 |
| Figure 65: Fan Locations | 108 |
| Figure 66: Proper Discharge Points..... | 109 |
| Figure 67: Improper Discharge Points..... | 110 |
| Figure 68: Protecting Discharge End from Varmints | 111 |
| Figure 69: Example of ASD System Performance Indicators..... | 112 |
| Figure 70: Fan installation | 113 |
| Figure 71: Planning for Future Fan Installation ó New Construction | 115 |
| Figure 72: Fire Collars..... | 115 |
| Figure 73: Criss-Cross Ice Guard..... | 116 |
| Figure 74: Hydro-Sep Ice Guard and Water Drain..... | 116 |
| Figure 75: Slab Caulking and Sealing Examples | 119 |
| Figure 76: Improving Aesthetics..... | 122 |
| Figure 77: Passive to Active Fan Concept..... | 123 |
| Figure 78: Capped vs. Uncapped Study Approach | 124 |
| Figure 79: Effectiveness of Passive Radon Systems | 124 |
| Figure 80: Effect of Air Cleaner on Radon Decay Products..... | 128 |
| Figure 81: Post-Mitigation Retesting and Monitoring..... | 132 |

Tables

| | |
|--|----|
| Table 1: Factors Affecting Radon Decay Products Suspended in Air..... | 13 |
| Table 2: Radon Guidance Levels | 17 |
| Table 3: Radon Benchmark Levels | 17 |
| Table 4: Consumer Testing vs. Testing at Time of Sale (Real Estate Testing)..... | 40 |
| Table 5: Test Device Location within a Room | 43 |
| Table 6: Testing Approaches at Time of Home Sale..... | 46 |
| Table 7: Navigating the Multi-Family Measurement Section..... | 48 |
| Table 8: Quality Control and Quality Assurances Means and Interpretation | 52 |
| Table 9: Multi-Family Testing Time Frames and Conditions..... | 52 |
| Table 10: Ground Contact Rooms to Test and Not Test in Large Buildings | 60 |